

HEAVY DUTY TRUCKS, SEMIS, MOTOR COACHES & BUSES

Metric Formula for tire sizes not found in this section...Tire Height x Full Tire Width ÷ (divided by) 10 x (multiply by) 30 = millilitres per tire
 Imperial Formula for tire sizes not found in this section...Tire Height x Full Tire Width ÷ (divided by) 10 = Ounces per tire

| 14.5 in. Rims | | 15 in. Rims | | 16 in. Rims | | 17 in. Rims | | 18 in. Rims | | 19 in. Rims | | 20 in. Rims | | 22.5 in. Rims | | 24 in. Rims | | 25 in. Rims | | | | | |
|----------------------|------|--------------------|----------------------|--------------------|----|----------------------|------|--------------------|--------------------|--------------------|----|--------------------|------|----------------------|----------------------|--------------------|------|--------------------|--------------------|----------|----------------------|------|----|
| ml | oz | ml | oz | ml | oz | ml | oz | ml | oz | ml | oz | ml | oz | ml | oz | ml | oz | ml | oz | | | | |
| MH 7.00-14.5 | 561 | 19 | 7.50-16 | 739 | 25 | 7.50-17.5 | 887 | 30 | 285 / 70-19.5 | 1182 | 40 | 7.50-20 | 887 | 30 | 22.5 in. Rims | 315 / 80-22.5 | 1596 | 54 | 24 in. Rims | 10.00-24 | 1774 | 60 | |
| MH 8.00-14.5 | 650 | 22 | 8.25-16 | 887 | 30 | 8.00-17.5 | 887 | 30 | 305 / 70-19.5 | 1330 | 45 | 8.00-20 | 1035 | 35 | 445 / 50-22.5 | 2129 | 72 | 305 / 85-22.5 | 1567 | 53 | 11.00-24 | 1567 | 53 |
| MH 9.00-14.5 | 768 | 26 | 9.00-16 | 946 | 32 | 9.00-17.5 | 887 | 30 | 445 / 70-19.5 | 2336 | 79 | 8.25-20 | 1035 | 35 | 385 / 65-22.5 | 1922 | 65 | 8.00-22.5 | 857 | 29 | 11.00-24 | 1567 | 53 |
| 15 in. Rims | | | 16.5 in. Rims | | | 10.00-17.5 | 946 | 32 | 8.00-19.5 | 828 | 28 | 9.00-20 | 1123 | 38 | 425 / 65-22.5 | 2247 | 76 | 9.00-22.5 | 1035 | 35 | 12.00-24 | 1774 | 60 |
| 7.50-15 | 739 | 25 | 8.00-16.5 | 887 | 30 | 11.00-17.5 | 1182 | 40 | 15.00-19.5 | 1774 | 60 | 10.00-20 | 1301 | 44 | 445 / 65-22.5 | 2395 | 81 | 10.00-22.5 | 1182 | 40 | 13.00-24 | 1922 | 65 |
| 8.25-15 | 887 | 30 | 8.75-16.5 | 887 | 30 | 14.00-17.5 | 1419 | 48 | 16.50-19.5 | 2011 | 68 | 11.00-20 | 1419 | 48 | 255 / 70-22.5 | 1123 | 38 | 11.00-22.5 | 1330 | 45 | 14.00-24 | 2070 | 70 |
| 9.00-15 | 946 | 32 | 9.50-16.5 | 946 | 32 | 18 in. Rims | | | 18.00-19.5 | 2070 | 70 | 11.50-20 | 1449 | 49 | 275 / 70-22.5 | 1242 | 42 | 11.50-22.5 | 1330 | 45 | ML14.00-24 | 2365 | 80 |
| 10.00-15 | 1005 | 34 | 10.00-16.5 | 1153 | 39 | 7.00-18 | 887 | 30 | 19.50-19.5 | 2513 | 85 | 12.00-20 | 1596 | 54 | 245 / 75-22.5 | 1064 | 36 | 12.00-22.5 | 1449 | 49 | 24.5 in. Rims | | |
| 11.00-15 | 1271 | 43 | 12.00-16.5 | 1301 | 44 | 8.25-18 | 1182 | 40 | ML15-19.5 | 1774 | 60 | 13.00-20 | 1774 | 60 | 265 / 75-22.5 | 1212 | 41 | 12.50-22.5 | 1626 | 55 | 285 / 75-24.5 | 1419 | 48 |
| 16 in. Rims | | | 17 in. Rims | | | 10.00-18 | 1182 | 40 | ML18-19.5 | 2218 | 75 | 14.00-20 | 2070 | 70 | 295 / 75-22.5 | 1389 | 47 | 12.75-22.5 | 1478 | 50 | 275 / 80-24.5 | 1360 | 46 |
| 225 / 75-16 | 798 | 27 | 7.00-17 | 887 | 30 | 19.5 in. Rims | | | 20 in. Rims | | | 16.00-20 | 2513 | 85 | 305 / 75-22.5 | 1478 | 50 | 13.00-22.5 | 1626 | 55 | 11.00-24.5 | 1389 | 47 |
| 215 / 85-16 | 768 | 26 | 17.5 in. Rims | | | 445 / 65-19.5 | 2247 | 76 | 335 / 80-20 | 1656 | 56 | 22 in. Rims | | | 235 / 80-22.5 | 1035 | 35 | 15.00-22.5 | 1892 | 64 | 12.00-24.5 | 1537 | 52 |
| 7.00-16 | 591 | 20 | 215 / 75-17.5 | 768 | 26 | 225 / 70-19.5 | 857 | 29 | 365 / 80-20 | 1863 | 63 | 10.00-22 | 1389 | 47 | 255 / 80-22.5 | 1182 | 40 | 16.00-22.5 | 2070 | 70 | 13.5-24.5 | 1833 | 62 |
| ML 7.00-16 | 739 | 25 | 7.00-17.5 | 887 | 30 | 245 / 70-19.5 | 975 | 33 | 395 / 85-20 | 2188 | 74 | 11.00-22 | 1478 | 50 | 275 / 80-22.5 | 1301 | 44 | 16.50-22.5 | 2070 | 70 | 25 in. Rims | | |
| | | | | | | 265 / 70-19.5 | 1064 | 36 | | | | 12.00-22 | 1626 | 55 | 295 / 80-22.5 | 1449 | 49 | 18.00-22.5 | 2365 | 80 | ML14.00-25 | 2365 | 80 |

OFF ROAD TIRES - FARM, LANDSCAPING, FORESTRY, CONSTRUCTION

Metric Formula for tire sizes not found in this section...Tire Height x Full Tire Width ÷ (divided by) 5 x (multiply by) 30 = millilitres per tire
 Imperial Formula for tire sizes not found in this section...Tire Height x Full Tire Width ÷ (divided by) 5 = Ounces per tire

| 4 in. Rims | | 5 in. Rims | | 6 in. Rims | | 7 in. Rims | | 8 in. Rims | | 9 in. Rims | | 10 in. Rims | | 11 in. Rims | | 12 in. Rims | | 14 in. Rims | | 15 in. Rims | | |
|-------------------|-----|-------------------|-------------------|-------------------|----|--------------------|------|-------------------|----------------|-------------------|----|--------------------|------|--------------------|--------------------|--------------------|----|--------------------|------|--------------------|----|--|
| ml | oz | ml | oz | ml | oz | ml | oz | ml | oz | ml | oz | ml | oz | ml | oz | ml | oz | ml | oz | ml | oz | |
| 2.50-4 | 177 | 6 | 145 / 70-6 | 473 | 16 | 20 x 11.00-8 | 1301 | 44 | 9.00-10 | 1301 | 44 | 11 in. Rims | | | 25 x 8.00-12 | 1182 | 40 | 8.15-15 | 1656 | 56 | | |
| 2.80-4 | 236 | 8 | 7 in. Rims | | | 20.5 x 7.00-8 | 857 | 29 | 15L-10 | 1774 | 60 | 22 x 7-11 | 916 | 31 | 25 x 10.00-12 | 1478 | 50 | 8.25-15 | 2040 | 69 | | |
| 4.10-4 | 236 | 8 | 4.50-7 | 473 | 16 | 20.5 x 10.00-8 | 1212 | 41 | 18 x 9.50-10 | 1005 | 34 | 23 x 8-11 | 1094 | 37 | 26 x 12.00-12 | 1833 | 62 | 8.5 / 90-15 | 1537 | 52 | | |
| 9 x 3.50-4 | 236 | 8 | 4.80-7 | 473 | 16 | 21 x 11.00-8 | 1360 | 46 | 18 x 9.80-10 | 1035 | 35 | 23.5 x 8-11 | 1123 | 38 | 26.5 x 14.00-12 | 2188 | 74 | 9.00-15 | 1833 | 62 | | |
| 11 x 4.00-4 | 266 | 9 | 8 in. Rims | | | 21 x 12.00-8 | 1478 | 50 | 18 x 10.00-10 | 1064 | 36 | 24 x 8-11 | 1123 | 38 | 27 x 10.00-12 | 1596 | 54 | 9.50-15 | 1951 | 66 | | |
| 5 in. Rims | | | ALL GOLF CARS | 591 | 20 | 22 x 9.00-8 | 1182 | 40 | 18 x 10.50-10 | 1123 | 38 | 24 x 9-11 | 1271 | 43 | 145 / 80-12 | 739 | 25 | 9.5L-15 | 1951 | 66 | | |
| 3.40-5 | 236 | 8 | 4.00-8 | 473 | 16 | 22 x 10.00-8 | 1301 | 44 | 18 x 11.00-10 | 1182 | 40 | 24 x 10-11 | 1419 | 48 | 155 / 80-12 | 798 | 27 | 9.70-15 | 2011 | 66 | | |
| 4.10-5 | 354 | 12 | 4.30-8 | 502 | 17 | 22 x 11.00-8 | 1419 | 48 | 20 x 7.50-10 | 887 | 30 | 25 x 8-11 | 1182 | 40 | 14 in. Rims | | | 10.00-15 | 2247 | 76 | | |
| 4.10 / 3.50-5 | 295 | 10 | 4.80-8 | 532 | 18 | 22 x 12.00-8 | 1567 | 53 | 20 x 8.00-10 | 946 | 32 | 12 in. Rims | | | 4.00-14 | 739 | 25 | 11.00-15 | 2306 | 78 | | |
| 10 x 4.50-5 | 266 | 9 | 5.00-8 | 621 | 21 | 23 x 10.00-8 | 1360 | 46 | 20 x 10.00-10 | 1182 | 40 | 3.00-12 | 532 | 18 | 6.00-14 | 1064 | 36 | 11L-15 | 2306 | 78 | | |
| 10.5 x 5.00-5 | 325 | 11 | 5.70-8 | 650 | 22 | 25 x 13.00-8 | 1922 | 65 | 20 x 11.00-10 | 1301 | 44 | 3.50-12 | 591 | 20 | 7.00-14 | 1182 | 40 | 12.2L-15 | 2365 | 80 | | |
| 11 x 3.50-5 | 236 | 8 | 6.00-8 | 650 | 22 | 9 in. Rims | | | 20 x 12.00-10 | 1419 | 48 | 4.00-12 | 650 | 22 | 7.50-14 | 1330 | 45 | 12.5L-15 | 2365 | 80 | | |
| 11 x 4.00-5 | 266 | 9 | 11 x 4.00-8 | 295 | 10 | 4.00-9 | 532 | 18 | 20 x 14.00-10 | 1656 | 56 | 4.50-12 | 709 | 24 | 8.00-14 | 1419 | 48 | 13.50-15 | 2661 | 90 | | |
| 11 x 4.50-5 | 295 | 10 | 16 x 5.00-8 | 473 | 16 | 4.80 / 4-9 | 532 | 18 | 20.50-10 | 1035 | 35 | 4.80-12 | 709 | 24 | 8.50-14 | 1478 | 50 | 14.50L-15 | 2957 | 100 | | |
| 11 x 6.00-5 | 384 | 13 | 16 x 5.50-8 | 532 | 18 | 6.00-9 | 709 | 24 | 20.5 x 7.00-10 | 857 | 29 | 5.00-12 | 709 | 24 | 9.00-14 | 1626 | 55 | 18.25-15 | 3548 | 120 | | |
| 11 x 7.00-5 | 443 | 15 | 16 x 6.50-8 | 621 | 21 | 6.90-9 | 768 | 26 | 20.5 x 8.00-10 | 975 | 33 | 5.30-12 | 768 | 26 | 9.50-14 | 1774 | 60 | 25 x 7.50-15 | 1123 | 38 | | |
| 11 x 7.50-5 | 502 | 17 | 16 x 7.50-8 | 709 | 24 | 18 x 9.00-9 | 946 | 32 | 21 x 7.00-10 | 857 | 29 | 5.70-12 | 828 | 28 | 9.5L-14 | 1892 | 64 | 25 x 9.00-15 | 1330 | 45 | | |
| 13 x 5.00-5 | 384 | 13 | 16.5 x 6.50-8 | 621 | 21 | 18 x 11.00-9 | 1153 | 39 | 21 x 8.00-10 | 1005 | 34 | 6.00-12 | 828 | 28 | 11.00-14 | 1922 | 65 | 25 x 10.50-15 | 1567 | 53 | | |
| 6 in. Rims | | | 18 x 6.00-8 | 650 | 22 | 20 x 7.00-9 | 828 | 28 | 21 x 9.00-10 | 1123 | 38 | 6.90-12 | 946 | 32 | 11L-14 | 2188 | 74 | 25 x 12.50-15 | 1863 | 63 | | |
| 4.00-6 | 354 | 12 | 18 x 6.50-8 | 680 | 23 | 20 x 11.00-9 | 1301 | 44 | 21 x 12.50-10 | 1567 | 53 | 7.00-12 | 1064 | 36 | 13.00-14 | 2365 | 80 | 27 x 7.50-15 | 1212 | 41 | | |
| 4.10-6 | 354 | 12 | 18 x 6.60-8 | 709 | 24 | 21 x 8.00-9 | 1005 | 34 | 22 x 7.00-10 | 916 | 31 | 7.50-12 | 1123 | 38 | 23 x 8.50-14 | 1153 | 39 | 27 x 8.50-15 | 1360 | 46 | | |
| 4.10 / 3.50-6 | 354 | 12 | 18 x 7.00-8 | 739 | 25 | 21 x 9.00-9 | 1123 | 38 | 22 x 8.00-10 | 1035 | 35 | 8.00-12 | 1182 | 40 | 25 x 8.50-14 | 1271 | 43 | 27 x 9.50-15 | 1508 | 51 | | |
| 5.30-6 | 591 | 20 | 18 x 7.50-8 | 798 | 27 | 22 x 7.00-9 | 916 | 31 | 22 x 9.00-10 | 1182 | 40 | 10.00-12 | 1301 | 44 | 70-14 | 1064 | 36 | 27 x 10.50-15 | 1685 | 57 | | |
| 6.90 / 6.00-6 | 739 | 25 | 18 x 8.50-8 | 916 | 31 | 22 x 10.00-9 | 1301 | 44 | 22 x 10.00-10 | 1301 | 44 | 20 x 6.00-12 | 709 | 24 | 78-14 | 1064 | 36 | 28 x 9.00-15 | 1478 | 50 | | |
| 8.00-6 | 650 | 22 | 18 x 9.00-8 | 946 | 32 | 22 x 11.00-9 | 1419 | 48 | 22 x 11.00-10 | 1419 | 48 | 22 x 7.50-12 | 975 | 33 | 15 in. Rims | | | 28 x 12.00-15 | 1981 | 67 | | |
| 12 x 6.00-6 | 414 | 14 | 18 x 9.50-8 | 1005 | 34 | 22 x 12.00-9 | 1567 | 53 | 23 x 7.00-10 | 946 | 32 | 22 x 8.00-12 | 1035 | 35 | 4.00-15 | 768 | 26 | 28 x 13.00-15 | 2158 | 73 | | |
| 12 x 8.00-6 | 561 | 19 | 18 x 10.00-8 | 1064 | 36 | 24 x 13.00-9 | 1833 | 62 | 23 x 8.00-10 | 1094 | 37 | 23 x 7.50-12 | 1035 | 35 | 5.00-15 | 887 | 30 | 29 x 8.00-15 | 1360 | 46 | | |
| 12 x 11.00-6 | 768 | 26 | 18 x 11.00-8 | 1182 | 40 | 25 x 11.00-9 | 1626 | 55 | 23 x 9.00-10 | 1212 | 41 | 23 x 8.00-12 | 1094 | 37 | 5.50-15 | 946 | 32 | 29 x 9.50-15 | 1626 | 55 | | |
| 13 x 5.00-6 | 384 | 13 | 18.50-8 | 709 | 24 | 25 x 12.00-9 | 1774 | 60 | 23 x 10.00-10 | 1360 | 46 | 23 x 8.50-12 | 1153 | 39 | 5.70-15 | 1005 | 34 | 29 x 10.00-15 | 1715 | 58 | | |
| 13 x 6.00-6 | 473 | 16 | 18.5 x 8.50-8 | 916 | 31 | 25 x 13.00-9 | 1922 | 65 | 24 x 11.00-10 | 1567 | 53 | 23 x 9.00-12 | 1212 | 41 | 5.90-15 | 1064 | 36 | 29 x 10.50-15 | 1803 | 61 | | |
| 13 x 6.50-6 | 502 | 17 | 19 x 8.00-8 | 887 | 30 | 10 in. Rims | | | 25 x 8.00-10 | 1182 | 40 | 23 x 9.50-12 | 1301 | 44 | 6.00-15 | 1123 | 38 | 29 x 12.00-15 | 2070 | 70 | | |
| 14 x 4.50-6 | 384 | 13 | 19 x 9.00-8 | 1005 | 34 | 3.00-10 | 473 | 16 | 25 x 11.00-10 | 1626 | 55 | 23 x 10.00-12 | 1360 | 46 | 6.40-15 | 1182 | 40 | 29 x 12.50-15 | 2158 | 73 | | |
| 14 x 6.00-6 | 502 | 17 | 19 x 9.50-8 | 1064 | 36 | 3.50-10 | 532 | 18 | 25 x 12.00-10 | 1774 | 60 | 23 x 10.50-12 | 1419 | 48 | 6.70-15 | 1242 | 42 | 29 x 14.00-15 | 2395 | 81 | | |
| 14 x 8.00-6 | 650 | 22 | 20 x 7.00-8 | 828 | 28 | 4.50-10 | 591 | 20 | 27 x 9.00-10 | 1449 | 49 | 23.5 x 11.00-12 | 1537 | 52 | 7.00L-15 | 1537 | 52 | 29 x | | | | |

OFF ROAD TIRES CONT'D - FARM, LANDSCAPING, FORESTRY, CONSTRUCTION

| ml | | oz | | ml | | oz | | ml | | oz | | ml | | oz | | ml | | oz | | |
|----------------------|------|-----|----------------------|------|-----|----------------------|-------|-----|----------------------|------|-----|--------------------|-------|-----|--------------------|-------|-----|--------------------|-------|-----|
| 30 x 9.50-15 | 1685 | 57 | 35 x 19.00-16.1 | 3933 | 133 | 8.00-20 | 2306 | 78 | 385 / 65-22.5 | 3874 | 131 | 23.50-25 | 9226 | 312 | 24.50-29 | 10055 | 340 | 480 / 70-34 | 6920 | 234 |
| 31 x 10.50-15 | 1863 | 63 | 38 x 20.00-16.1 | 4495 | 152 | 8.25-20 | 2365 | 80 | 425 / 65-22.5 | 4495 | 152 | 24.00-25 | 10942 | 370 | 26.50-29 | 11711 | 396 | 520 / 70-34 | 7777 | 263 |
| 31 x 11.50-15 | 2099 | 71 | 42 x 16.53-16.1 | 4110 | 139 | 9.00-20 | 2602 | 88 | 445 / 65-22.5 | 4790 | 162 | 25 / 55-25 | 7777 | 263 | 29.50-29 | 13012 | 440 | 600 / 65-34 | 9256 | 313 |
| 31 x 12.50-15 | 2306 | 78 | 45 x 18.42-16.1 | 4909 | 166 | 9.50-20 | 2661 | 90 | 23.5 in. Rims | | | 25 / 65-25 | 8517 | 288 | 30.00-29 | 13160 | 445 | 650 / 75-34 | 11237 | 380 |
| 31 x 13.50-15 | 2484 | 84 | 45 x 21.5L-16.1 | 5737 | 194 | 10.00-20 | 2720 | 92 | 23.00-23.5 | 7097 | 240 | 26.50-25 | 11237 | 380 | 30 / 65-29 | 12066 | 408 | 710 / 75-34 | 12864 | 435 |
| 31 x 15.50-15 | 2839 | 96 | 16.5 in. Rims | | | 10.30-20 | 2779 | 94 | 24 in. Rims | | | 29.50-25 | 13219 | 447 | 875 / 65-29 | 15437 | 522 | 35 in. Rims | | |
| 32 x 11.50-15 | 2188 | 74 | 10-16.5 | 2306 | 78 | 10.50-20 | 2898 | 98 | 7.00-24 | 2129 | 72 | 30 / 65-25 | 11356 | 384 | 30 in. Rims | | | 18.00-35 | 10055 | 340 |
| 32 x 12.00-15 | 2277 | 77 | 12-16.5 | 2543 | 86 | 11.00-20 | 2957 | 100 | 7.20-24 | 2188 | 74 | 33.25-25 | 13603 | 460 | 4.00-30 | 887 | 30 | 21.00-35 | 10646 | 360 |
| 32 x 14.50-15 | 2750 | 93 | 30.5 x 12.50-16.5 | 2247 | 76 | 11.20-20 | 2957 | 100 | 7.50-24 | 2247 | 76 | 54 x 37.00-25 | 11829 | 400 | 6.00-30 | 1478 | 50 | 22.50-35 | 11829 | 400 |
| 32 x 15.00-15 | 2839 | 96 | 31 x 11.50-16.5 | 2099 | 71 | 11.50-20 | 3016 | 102 | 8.30-24 | 2306 | 78 | 61 x 18.00-25 | 6506 | 220 | 7.20-30 | 1774 | 60 | 24.00-35 | 13308 | 450 |
| 33 x 12.50-15 | 2454 | 83 | 33 x 12.50-16.5 | 2454 | 83 | 12.00-20 | 3134 | 106 | 9.00-24 | 2365 | 80 | 66 x 43.00-25 | 16797 | 568 | 9.50-30 | 2957 | 100 | 29.50-35 | 14609 | 494 |
| 33 x 21.50-15 | 4199 | 142 | 33 x 14.50-16.5 | 2839 | 96 | 12.50-20 | 3253 | 110 | 9.50-24 | 2543 | 86 | 66 x 44.00-25 | 17152 | 580 | 14.90-30 | 5500 | 186 | 33.25-35 | 17566 | 594 |
| 35 x 12.50-15 | 2602 | 88 | 35 x 14.50-16.5 | 2986 | 101 | 13.00-20 | 3785 | 128 | 10.00-24 | 2661 | 90 | 67 x 34.00-25 | 13485 | 456 | 16.90-30 | 6624 | 224 | 37.25-35 | 21470 | 726 |
| 35 x 15.00-15 | 3105 | 105 | 36.5 x 12.50-16.5 | 2691 | 91 | 14.00-20 | 4317 | 146 | 11.00-24 | 3548 | 120 | 385 / 95-25 | 4938 | 167 | 17.00-30 | 6801 | 230 | 36 in. Rims | | |
| 36 x 11.00-15 | 2336 | 79 | 16.7 in. Rims | | | 16.00-20 | 4731 | 160 | 11.20-24 | 3548 | 120 | 445 / 80-25 | 5618 | 190 | 18.00-30 | 7097 | 240 | 9.50-36 | 3312 | 112 |
| 36 x 13.50-15 | 2868 | 97 | 14L-16.7 | 3548 | 120 | 18.00-20 | 5027 | 170 | 11.25-24 | 3962 | 134 | 445 / 95-25 | 6180 | 209 | 18.40-30 | 7393 | 250 | 11.20-36 | 4140 | 140 |
| 38 x 16.00-15 | 3607 | 122 | 17 in. Rims | | | 24.00-20 | 6210 | 210 | 11.40-24 | 4140 | 140 | 525 / 80-25 | 7275 | 246 | 21.00-30 | 7984 | 270 | 12.40-36 | 4731 | 160 |
| 250-15 | 1951 | 66 | 7.00-17 | 1242 | 42 | 38 x 14.00-20 | 3134 | 106 | 11.50-24 | 4199 | 142 | 555 / 65-25 | 7068 | 239 | 23.10-30 | 10232 | 346 | 13.60-36 | 5323 | 180 |
| 300-15 | 2720 | 92 | 7.50-17 | 1360 | 46 | 38 x 18.00-20 | 4051 | 137 | 12.00-24 | 4258 | 144 | 605 / 80-25 | 9108 | 308 | 67 x 34.00-30 | 13485 | 456 | 13.90-36 | 5914 | 200 |
| 16 in. Rims | | | 8.25-17 | 1419 | 48 | 41 x 14.00-20 | 3400 | 115 | 12.40-24 | 4376 | 148 | 660 / 34-25 | 6713 | 227 | 380 / 85-30 | 5027 | 170 | 14.90-36 | 6506 | 220 |
| 4.00-16 | 946 | 32 | 17.5 in. Rims | | | 42 x 25.00-20 | 6210 | 210 | 13.00-24 | 4436 | 150 | 670 / 34-25 | 6861 | 232 | 420 / 90-30 | 5973 | 202 | 16.90-36 | 7393 | 250 |
| 4.50-16 | 946 | 32 | 7.00-17.5 | 1242 | 42 | 44 x 18.00-20 | 4672 | 158 | 13.60-24 | 4554 | 154 | 26 in. Rims | | | 480 / 70-30 | 6447 | 218 | 18.00-36 | 7984 | 270 |
| 5.00-16 | 1064 | 36 | 8.00-17.5 | 1360 | 46 | 44 x 41.00-20 | 10646 | 360 | 14.00-24 | 5027 | 170 | 12.40-26 | 4436 | 150 | 540 / 65-30 | 7422 | 251 | 38 in. Rims | | |
| 5.50-16 | 1094 | 37 | 10.00-17.5 | 1478 | 50 | 47 x 25.00-20 | 6949 | 235 | 14.90-24 | 5264 | 178 | 13.60-26 | 4731 | 160 | 32 in. Rims | | | 11.20-38 | 4199 | 142 |
| 6.00-16 | 1242 | 42 | 14.00-17.5 | 2070 | 70 | 48 x 25.00-20 | 7097 | 240 | 15.00-24 | 5323 | 180 | 14.90-26 | 5086 | 172 | 8.30-32 | 2898 | 98 | 12.40-38 | 4850 | 164 |
| 6.50-16 | 1360 | 46 | 36 x 16.00-17.5 | 3400 | 115 | 48 x 26.50-20 | 7511 | 254 | 16.00-24 | 5766 | 195 | 16.90-26 | 6801 | 230 | 9.50-32 | 3075 | 104 | 12.50-38 | 5027 | 170 |
| 7.00-16 | 1419 | 48 | 225 / 75-17.5 | 1656 | 56 | 48 x 31.00-20 | 8812 | 298 | 16.50-24 | 5914 | 200 | 18.00-26 | 8280 | 280 | 12.40-32 | 4376 | 148 | 13.60-38 | 5500 | 186 |
| 7.20-16 | 1478 | 50 | 235 / 75-17.5 | 1744 | 59 | 50 x 20.00-20 | 5914 | 200 | 16.90-24 | 6033 | 204 | 18.40-26 | 8812 | 298 | 16.90-32 | 7097 | 240 | 14.90-38 | 6210 | 210 |
| 7.50-16 | 1656 | 56 | 18 in. Rims | | | 21 in. Rims | | | 17.50L-24 | 6033 | 204 | 23.10-26 | 9167 | 310 | 24.50-32 | 11237 | 380 | 15.50-38 | 6269 | 212 |
| 8.00-16 | 1774 | 60 | 4.00-18 | 768 | 26 | 27.25-21 | 9433 | 319 | 18.00-24 | 6092 | 206 | 24.00-26 | 9700 | 328 | 30.00-32 | 13899 | 470 | 16.90-38 | 7334 | 248 |
| 8.25-16 | 1833 | 62 | 6.00-18 | 828 | 28 | 22 in. Rims | | | 18.30-24 | 6151 | 208 | 28.00-26 | 10350 | 350 | 30.50-32 | 14195 | 480 | 18.40-38 | 8398 | 284 |
| 8.30-16 | 1892 | 64 | 7.00-18 | 1360 | 46 | 7.50-22 | 2070 | 70 | 18.40-24 | 6506 | 220 | 28L-26 | 10646 | 360 | 30.5L-32 | 14195 | 480 | 20.80-38 | 9877 | 334 |
| 9.00-16 | 2070 | 70 | 7.50-18 | 1774 | 60 | 8.50-22 | 2365 | 80 | 19.40-24 | 6742 | 228 | 54 x 31.00-26 | 9818 | 332 | 33.50-32 | 15378 | 520 | 520 / 70-38 | 8251 | 279 |
| 9.50-16 | 2188 | 74 | 10.00-18 | 1892 | 64 | 10.00-22 | 2779 | 94 | 19.50L-24 | 6801 | 230 | 66 x 43.00-26 | 16768 | 567 | 35.50-32 | 17803 | 602 | 580 / 70-38 | 9670 | 327 |
| 10.00-16 | 2306 | 78 | 10.50-18 | 1951 | 66 | 11.00-22 | 2839 | 96 | 21.00-24 | 7393 | 250 | 67 x 34.00-26 | 13485 | 456 | 68 x 50.00-32 | 20110 | 680 | 600 / 65-38 | 9818 | 332 |
| 11.00-16 | 2661 | 90 | 10.5 / 80-18 | 2158 | 73 | 12.00-22 | 2957 | 100 | 21.00L-24 | 7689 | 260 | 620 / 75-26 | 9256 | 313 | 73 x 44.00-32 | 18986 | 642 | 650 / 65-38 | 11030 | 373 |
| 11L-16 | 2661 | 90 | 11.00-18 | 2011 | 68 | 22.5 in. Rims | | | 48 x 20.00-24 | 5678 | 192 | 28 in. Rims | | | 73 x 50.00-32 | 21588 | 730 | 710 / 70-38 | 13071 | 442 |
| 11.20-16 | 2661 | 90 | 12.5-18 | 2070 | 70 | 8.00-22.5 | 2247 | 76 | 320 / 75-24 | 3282 | 111 | 11.00-28 | 3489 | 118 | 650 / 75-32 | 10912 | 369 | 39 in. Rims | | |
| 11.50-16 | 2839 | 96 | 12.5 / 80-18 | 2809 | 95 | 9.00-22.5 | 2306 | 78 | 420 / 70-24 | 4731 | 160 | 11.20-28 | 3489 | 118 | 800 / 65-32 | 13929 | 471 | 33.50-39 | 22180 | 750 |
| 12.40-16 | 2898 | 98 | 13.0-18 | 2129 | 72 | 10.00-22.5 | 2779 | 94 | 540 / 65-24 | 6654 | 225 | 11.25-28 | 3548 | 120 | 33 in. Rims | | | 37.50-39 | 23067 | 780 |
| 12.50-16 | 2898 | 98 | 19 in. Rims | | | 11.00-22.5 | 2839 | 96 | 24.5 in. Rims | | | 11.90-28 | 3785 | 128 | 18.00-33 | 8694 | 294 | 38.00-39 | 23215 | 785 |
| 12.5L-16 | 2898 | 98 | 4.00-19 | 828 | 28 | 11.50-22.5 | 2898 | 98 | 11.00-24.5 | 3844 | 130 | 12.40-28 | 4081 | 138 | 21.00-33 | 10942 | 370 | 40 / 65-39 | 21529 | 728 |
| 13.60-16 | 3016 | 102 | 6.00-19 | 946 | 32 | 12.00-22.5 | 2957 | 100 | 12.00-24.5 | 4140 | 140 | 13.60-28 | 4613 | 156 | 27.00-33 | 13603 | 460 | 40.50 / 75-39 | 23895 | 808 |
| 18.4-16 | 5323 | 180 | 19.5 in. Rims | | | 12.50-22.5 | 3016 | 102 | 13.50-24.5 | 4258 | 144 | 14.90-28 | 5264 | 178 | 30.00-33 | 14491 | 490 | 41.25 / 70-39 | 23658 | 800 |
| 33 x 9.50-16 | 1863 | 63 | 7.00-19.5 | 2365 | 80 | 13.00-22.5 | 3075 | 104 | 25 in. Rims | | | 15.00-28 | 5323 | 180 | 33.50-33 | 17862 | 604 | 43.50-39 | 26024 | 880 |
| 215 / 85-16 | 1567 | 53 | 8.00-19.5 | 2484 | 84 | 15.00-22.5 | 3134 | 106 | 7.5-25 | 2661 | 90 | 16.90-28 | 5559 | 188 | 35 / 65-33 | 16265 | 550 | 45 / 65-39 | 25965 | 878 |
| 225 / 75-16 | 1567 | 53 | 9.00-19.5 | 2543 | 86 | 15.50-22.5 | 3193 | 108 | 11.00-25 | 3844 | 130 | 17.00-28 | 5618 | 190 | 37.50-33 | 21529 | 728 | 42 in. Rims | | |
| 225 / 85-16 | 1656 | 56 | 9.50-19.5 | 2602 | 88 | 16.00-22.5 | 3253 | 110 | 12.00-25 | 4081 | 138 | 18.40-28 | 7097 | 240 | 34 in. Rims | | | 9.50-42 | 5027 | 170 |
| 235 / 85-16 | 1774 | 60 | 15.00-19.5 | 3548 | 120 | 16.50-22.5 | 3312 | 112 | 13.00-25 | 4317 | 146 | 21.00-28 | 8103 | 274 | 11.20-34 | 4436 | 150 | 12.40-42 | 5145 | 174 |
| 245 / 75-16 | 1774 | 60 | 16.50-19.5 | 4081 | 138 | 18.00-22.5 | 3726 | 126 | 14.00-25 | 4613 | 156 | 21L-28 | 8162 | 276 | 12.40-34 | 5027 | 170 | 18.40-42 | 8872 | 300 |
| 255 / 85-16 | 2011 | 68 | 18.00-19.5 | 4790 | 162 | 245 / 75-22.5 | 2158 | 73 | 15.50-25 | 4879 | 165 | 380 / 70-28 | 4436 | 150 | 14.90-34 | 5796 | 196 | 18.90-42 | 9167 | 310 |
| 265 / 75-16 | 2011 | 68 | 19.50-19.5 | 5027 | 170 | 255 / 70-22.5 | 2218 | 75 | 16.00-25 | 5027 | 170 | 380 / 85-28 | 4850 | 164 | 16.90-34 | 6920 | 234 | 20.80-42 | 9759 | 330 |
| 16.1 in. Rims | | | 40 x 19.00-19.5 | 4495 | 152 | 255 / 80-22.5 | 2336 | 79 | 17.50-25 | 6358 | 215 | 420 / 70-28 | 5116 | 173 | 18.40-34 | 7393 | 250 | 480 / 80-42 | 8251 | 279 |
| 13.50-16.1 | 3785 | 128 | 245 / 70-19.5 | 1922 | 65 | 265 / 75-22.5 | 2394 | 81 | 18.00-25 | 7689 | 260 | 440 / 80-28 | 5855 | 198 | 18.50-34 | 7689 | 260 | 520 / 85-42 | 9522 | 322 |
| 14L-16.1 | 3844 | 130 | 265 / 70-19.5 | 2158 | 73 | 275 / 70-22.5 | 2454 | 83 | 20.50-25 | 7836 | 265 | 480 / 70-28 | 6240 | 211 | 20.80-34 | 9345 | 316 | 580 / 70-42 | 10232 | 346 |
| 14.5 / 75-16.1 | 3253 | 110 | 285 / 70-19.5 | 2395 | 81 | 275 / 80-22.5 | 2602 | 88 | 21.00-25 | 7984 | 270 | 540 / 6 | | | | | | | | |

OFF ROAD TIRES CONT'D - FARM, LANDSCAPING, FORESTRY, CONSTRUCTION

| ml oz | | ml oz | | ml oz | | ml oz | | ml oz | | ml oz | | ml oz | | ml oz | |
|--------------------|------------|-------------|----------|--------------------|-----------|--------------------|-----------|------------|------------|----------------------|------------|--------------|------------|----------------------|------------|
| 43 in. Rims | | 18.40-46 | 9226 312 | 620 / 70-46 | 11829 400 | 50 in. Rims | | 30.00-51 | 22061 746 | 52 in. Rims | | 40.00-57 | 36730 1242 | 59.5 in. Rims | |
| 24.00-43 | 14786 500 | 230 / 95-46 | 3460 117 | 48 in. Rims | | 250 / 95-50 | 4081 138 | 33.00-51 | 25255 854 | 37.50-52 | 32530 1100 | 44.00-57 | 39096 1322 | 33-59.5 | 25137 850 |
| 45 in. Rims | | 320 / 90-46 | 5234 177 | 230 / 95-48 | 3548 120 | 320 / 90-50 | 5530 187 | 36.00-51 | 33122 1120 | 54 in. Rims | | 46 / 90-57 | 38031 1286 | 36-59.5 | 29277 990 |
| 45 / 65-45 | 27562 932 | 340 / 85-46 | 5559 188 | 49 in. Rims | | 380 / 90-50 | 6949 235 | 37.00-51 | 35783 1210 | 320 / 90-54 | 5825 197 | 49.50-57 | 41846 1415 | 39-59.5 | 33713 1140 |
| 65 / 45-45 | 39805 1346 | 380 / 90-46 | 6594 223 | 18.00-49 | 10646 360 | 480 / 80-50 | 9167 310 | 37.50-51 | 37085 1254 | 56.5 in. Rims | | 50 / 80-57 | 40515 1370 | 63 in. Rims | |
| 46 in. Rims | | 420 / 80-46 | 7245 245 | 21.00-49 | 13012 440 | 51 in. Rims | | 49 / 75-51 | 36079 1220 | 27.00-56.5 | 17744 600 | 52 / 80-57 | 43177 1460 | 53 / 80-63 | 46726 1580 |
| 13.60-46 | 6210 210 | 480 / 80-46 | 8724 295 | 24.00-49 | 17152 580 | 24.00-51 | 18927 640 | 50 / 65-51 | 34305 1160 | 30.00-56.5 | 21292 720 | 53.5 / 85-57 | 46814 1583 | 59 / 80-63 | 56781 1920 |
| 14.90-46 | 6979 236 | 520 / 85-46 | 9995 338 | 27.00-49 | 18099 612 | 27.00-51 | 19222 650 | | | 57 in. Rims | | 55.5 / 80-57 | 47909 1620 | | |
| | | | | | | | | | | 37.00-57 | 33832 1144 | 65 / 65-57 | 54415 1840 | | |

ATV TIRES

Metric Formula for tire sizes not found in this section... Tire Height x Full Tire Width ÷ (divided by) 10 x (multiply by) 30 = millilitres per tire
 Imperial Formula for tire sizes not found in this section... Tire Height x Full Tire Width ÷ (divided by) 10 = Ounces per tire

| ml oz | | ml oz | | ml oz | | ml oz | | ml oz | | ml oz | | ml oz | | ml oz | |
|-------------------|---------|--------------|--------|-------------------|--------|--------------------|---------|---------------|--------|--------------------|---------|----------------|--------|---------------|--------|
| 6 in. Rims | | 19 x 9.50-8 | 532 18 | 22.5 x 10.00-8 | 680 23 | 25 x 12.00-9 | 887 30 | 21 x 11.00-10 | 680 23 | 24 x 11.50-10 | 828 28 | 23.5 x 8.00-11 | 561 19 | 24 x 11.00-12 | 768 26 |
| 145 / 70-6 | 236 8 | 20 x 7.00-8 | 414 14 | 9 in. Rims | | 25 x 12.50-9 | 916 31 | 21 x 12.50-10 | 798 27 | 24 x 12.00-10 | 857 29 | 24 x 8.00-11 | 561 19 | 24 x 11.50-12 | 828 28 |
| 7 in. Rims | | 20 x 9.00-8 | 532 18 | 18 x 10.50-9 | 561 19 | 25 x 13.00-9 | 975 33 | 22 x 7.00-10 | 473 16 | 25 x 9.50-10 | 709 24 | 24 x 9.00-11 | 650 22 | 25 x 8.00-12 | 591 20 |
| 16 x 8.00-7 | 384 13 | 20 x 10.00-8 | 591 20 | 20 x 10.00-9 | 591 20 | 25 x 13.50-9 | 1005 34 | 22 x 8.00-10 | 532 18 | 25 x 10.00-10 | 739 25 | 24 x 9.50-11 | 650 22 | 25 x 9.50-12 | 709 24 |
| 18 x 7.00-7 | 384 13 | 20 x 11.00-8 | 650 22 | 20 x 11.00-9 | 650 22 | 10 in. Rims | | 22 x 10.00-10 | 650 22 | 25 x 11.00-10 | 828 28 | 24 x 10.00-11 | 709 24 | 25 x 10.00-12 | 739 25 |
| 8 in. Rims | | 20 x 12.00-8 | 709 24 | 20 x 12.00-9 | 709 24 | 18 x 11.00-10 | 591 20 | 22 x 11.00-10 | 709 24 | 25 x 12.00-10 | 887 30 | 25 x 8.00-11 | 591 20 | 25 x 11.00-12 | 828 28 |
| 16 x 6.00-8 | 295 10 | 21 x 9.00-8 | 561 19 | 21 x 7.00-9 | 443 15 | 20 x 6.00-10 | 354 12 | 22 x 12.00-10 | 798 27 | 25 x 12.50-10 | 916 31 | 25 x 9.50-11 | 709 24 | 25 x 12.50-12 | 916 31 |
| 18 x 9.00-8 | 473 16 | 21 x 10.00-8 | 621 21 | 21 x 8.00-9 | 502 17 | 20 x 7.00-10 | 414 14 | 22 x 12.50-10 | 828 28 | 25 x 13.50-10 | 1005 34 | 25 x 10.00-11 | 739 25 | 26 x 9.00-12 | 680 23 |
| 18 x 9.50-8 | 502 17 | 21 x 11.00-8 | 680 23 | 21 x 12.50-9 | 798 27 | 20 x 10.00-10 | 591 20 | 23 x 7.00-10 | 473 16 | 26 x 12.00-10 | 916 31 | 25 x 12.50-11 | 946 32 | 26 x 10.00-12 | 768 26 |
| 18 x 10.00-8 | 532 18 | 21 x 12.00-8 | 739 25 | 22 x 8.00-9 | 532 18 | 20 x 11.00-10 | 650 22 | 23 x 8.00-10 | 561 19 | 27 x 12.00-10 | 946 32 | 26 x 12.00-11 | 857 29 | 26 x 10.50-12 | 798 27 |
| 18 x 10.50-8 | 561 19 | 21 x 12.50-8 | 798 27 | 22 x 10.00-9 | 650 22 | 20 x 12.00-10 | 709 24 | 23 x 10.00-10 | 680 23 | 11 in. Rims | | 26 x 12.00-11 | 857 29 | 26 x 12.00-12 | 916 31 |
| 18 x 11.00-8 | 591 20 | 22 x 10.00-8 | 650 22 | 22 x 11.00-9 | 709 24 | 21 x 7.00-10 | 443 15 | 23 x 11.00-10 | 739 25 | 22 x 7.00-11 | 443 15 | 23 x 8.00-12 | 532 18 | 27 x 8.00-12 | 650 22 |
| 18 x 19.50-8 | 1035 35 | 22 x 11.00-8 | 709 24 | 22 x 12.00-9 | 798 27 | 21 x 8.00-10 | 502 17 | 24 x 8.00-10 | 561 19 | 22 x 10.00-11 | 650 22 | 23 x 10.00-12 | 680 23 | 27 x 9.00-12 | 709 24 |
| 19 x 7.00-8 | 384 13 | 22 x 12.00-8 | 798 27 | 22 x 12.50-9 | 828 28 | 21 x 9.00-10 | 561 19 | 24 x 10.50-10 | 739 25 | 23 x 8.00-11 | 561 19 | 24 x 8.00-12 | 561 19 | 27 x 10.00-12 | 798 27 |
| 19 x 8.00-8 | 443 15 | 22 x 12.50-8 | 828 28 | 24 x 11.00-9 | 798 27 | 21 x 10.00-10 | 621 21 | 24 x 11.00-10 | 798 27 | 23 x 9.00-11 | 621 21 | 24 x 9.00-12 | 650 22 | 27 x 11.00-12 | 887 30 |

MOTORCYCLES / DIRT BIKE TIRES

Metric Formula for tire sizes not found in this section... Tire Height x Full Tire Width ÷ (divided by) 10 x (multiply by) 30 = millilitres per tire
 Imperial Formula for tire sizes not found in this section... Tire Height x Full Tire Width ÷ (divided by) 10 = Ounces per tire

| ml oz | | ml oz | | ml oz | | ml oz | | ml oz | | ml oz | | ml oz | | ml oz | |
|--------------------|--------|--------------------|--------|--------------------|--------|-------------|--------|--------------------|--------|--------------------|--------|--------------|--------|--------------------|--------|
| 4 in. Rims | | 12 in. Rims | | 120 / 80-14 | 295 10 | 3.25-16 | 207 7 | 200 / 60-16 | 591 20 | 120 / 70-17 | 325 11 | 3.00-18 | 207 7 | 120 / 70-18 | 354 12 |
| 3.00-4 | 118 4 | 2.50-12 | 118 4 | 160 / 60-14 | 414 14 | 3.50-16 | 236 8 | 17 in. Rims | | 120 / 80-17 | 354 12 | 3.25-18 | 236 8 | 120 / 80-18 | 354 12 |
| 8 in. Rims | | 3.00-12 | 147 5 | 180 / 80-14 | 532 18 | 5.00-16 | 354 12 | 2.25-17 | 147 5 | 120 / 90-17 | 354 12 | 3.50-18 | 236 8 | 120 / 90-18 | 384 13 |
| 3.00-8 | 118 4 | 25 x 8.00-12 | 591 20 | 15 in. Rims | | 90 / 90-16 | 236 8 | 2.50-17 | 147 5 | 130 / 60-17 | 354 12 | 4.00-18 | 295 10 | 120 / 100-18 | 414 14 |
| 3.5-8 | 118 4 | 60 / 100-12 | 118 4 | 2.50-15 | 147 5 | 90 / 100-16 | 236 8 | 2.75-17 | 177 6 | 130 / 70-17 | 384 13 | 4.10-18 | 295 10 | 130 / 70-18 | 384 13 |
| 4.00-8 | 177 6 | 80 / 100-12 | 177 6 | 5.10-15 | 354 12 | 100 / 80-16 | 266 9 | 3.00-17 | 207 7 | 130 / 80-17 | 384 13 | 4.25-18 | 325 11 | 130 / 80-18 | 414 14 |
| 10 in. Rims | | 100 / 90-12 | 236 8 | 120 / 70-15 | 295 10 | 100 / 90-16 | 266 9 | 3.50-17 | 236 8 | 130 / 90-17 | 414 14 | 4.35-18 | 325 11 | 130 / 90-18 | 414 14 |
| 2.5-10 | 118 4 | 110 / 100-12 | 266 9 | 130 / 90-15 | 384 13 | 110 / 70-16 | 295 10 | 4.60-17 | 325 11 | 140 / 70-17 | 414 14 | 4.50-18 | 325 11 | 140 / 70-18 | 414 14 |
| 2.75-10 | 118 4 | 120 / 80-12 | 266 9 | 140 / 80-15 | 384 13 | 110 / 90-16 | 325 11 | 5.10-17 | 354 12 | 140 / 80-17 | 443 15 | 4.60-18 | 354 12 | 140 / 80-18 | 443 15 |
| 3.00-10 | 118 4 | 120 / 90-12 | 295 10 | 140 / 90-15 | 414 14 | 120 / 80-16 | 325 11 | 5.30-17 | 414 14 | 150 / 60-17 | 443 15 | 5.10-18 | 384 13 | 150 / 60-18 | 443 15 |
| 3.5-10 | 177 6 | 130 / 70-12 | 295 10 | 150 / 80-15 | 443 15 | 120 / 90-16 | 354 12 | 5.60-17 | 443 15 | 150 / 70-17 | 443 15 | 5.30-18 | 414 14 | 150 / 70-18 | 473 16 |
| 4.00-10 | 207 7 | 13 in. Rims | | 150 / 90-15 | 443 15 | 130 / 60-16 | 354 12 | 70 / 100-17 | 177 6 | 150 / 80-17 | 473 16 | 5.60-18 | 443 15 | 160 / 60-18 | 473 16 |
| 6.70-10 | 236 8 | 110 / 90-13 | 266 9 | 160 / 80-15 | 473 16 | 130 / 70-16 | 354 12 | 80 / 80-17 | 207 7 | 160 / 60-17 | 502 17 | 80 / 100-18 | 236 8 | 19 in. Rims | |
| 19 x 6.00-10 | 325 11 | 150 / 70-13 | 384 13 | 170 / 60-15 | 473 16 | 130 / 90-16 | 384 13 | 100 / 80-17 | 266 9 | 160 / 70-17 | 502 17 | 90 / 90-18 | 266 9 | 2.50-19 | 177 6 |
| 19 x 7.00-10 | 384 13 | 14 in. Rims | | 170 / 70-15 | 502 17 | 140 / 70-16 | 384 13 | 100 / 90-17 | 295 10 | 170 / 60-17 | 502 17 | 90 / 100-18 | 266 9 | 2.75-19 | 177 6 |
| 24 x 11.00-10 | 768 26 | 2.25-14 | 118 4 | 170 / 80-15 | 532 18 | 140 / 90-16 | 443 15 | 100 / 100-17 | 295 10 | 180 / 55-17 | 532 18 | 100 / 80-18 | 295 10 | 3.00-19 | 207 7 |
| 70 / 100-10 | 118 4 | 2.50-14 | 118 4 | 180 / 70-15 | 532 18 | 150 / 80-16 | 443 15 | 110 / 70-17 | 295 10 | 190 / 50-17 | 561 19 | 100 / 90-18 | 295 10 | 3.25-19 | 236 8 |
| 80 / 90-10 | 147 5 | 3.00-14 | 147 5 | 16 in. Rims | | 160 / 80-16 | 502 17 | 110 / 80-17 | 325 11 | 200 / 50-17 | 591 20 | 100 / 100-18 | 295 10 | 3.50-19 | 236 8 |
| 90 / 90-10 | 147 5 | 3.60-14 | 207 7 | 2.50-16 | 147 5 | 170 / 70-16 | 502 17 | 110 / 100-17 | 325 11 | 18 in. Rims | | 110 / 80-18 | 325 11 | 3.60-19 | 266 9 |
| 110 / 90-10 | 236 8 | 4.10-14 | 236 8 | 2.75-16 | 177 6 | 180 / 60-16 | 532 18 | 120 / 60-17 | 325 11 | 2.50-18 | 177 6 | 110 / 90-18 | 325 11 | 70 / 100-19 | 207 7 |
| 120 / 90-10 | 266 9 | 60 / 100-14 | 147 5 | 3.00-16 | 177 6 | 180 / 70-16 | 561 19 | 120 / 65-17 | 325 11 | 2.75-18 | 177 6 | 110 / 100-18 | 354 12 | 90 / 90-19 | 266 9 |
| 130 / 90-10 | 295 10 | 90 / 100-14 | 236 8 | | | | | | | | | | | 207 7 | 236 8 |

Specifications subject to change without notice.